

EXHIBIT B (I)
(cont.)

**MSAs WITH 105 OR MORE VACANT
800 MHz TRUNKED SMR FREQUENCIES**

| <u>MSA and Population (000)</u> | <u>Number of Vacant Frequencies</u> |
|---------------------------------|---|
| Cumberland, MD (104) | 189 |
| San Angelo, TX (104) | 161 |
| Lewiston-Auburn, ME (102) | 118 |
| Elmira, NY (101) | 237 |
| Gadsden, AL (101) | 178 |
| Rapid City, SD (100) | 250 |
| Lacrosse, WI (98) | 199 |
| Rochester, MN (97) | 178 |
| Dubuque, IA (90) | 126 |
| Pine Bluff, AR (90) | 195 |
| Bismarck, ND (88) | 226 |
| Owensboro, KY (87) | 223 |
| Casper, WY (81) | 235 |
| Great Falls, MT (79) | 267 |
| Enid, OK (67) | 178 |

EXHIBIT B (II)

MSAs WITH 84-104 VACANT 800 MHz TRUNKED SMR FREQUENCIES

| <u>MSA and Population (000)</u> | <u>Number of Vacant Frequencies</u> |
|---------------------------------|---|
| Louisville, KY (966) | 93 |
| Toledo, OH (801) | 103 |
| Fort Wayne, IN (443) | 90 |
| Newport News, VA (438) | 84 |
| Fayetteville, NC (284) | 91 |
| Killeen-Temple, TX (261) | 84 |
| Reno, NV (232) | 95 |
| Waco, TX (210) | 99 |
| Fort Collins, CO (193) | 103 |
| Yakima, WA (189) | 85 |
| Tyler, TX (161) | 95 |
| Greeley, CO (144) | 85 |
| Danville, VA (110) | 96 |
| Sheboygan, WI (104) | 88 |

EXHIBIT B (III)

MSAs WITH 63-83 VACANT 800 MHz TRUNKED SMR FREQUENCIES

| <u>MSA and Population (000)</u> | <u>Number of Vacant Frequencies</u> |
|------------------------------------|-------------------------------------|
| Oklahoma City, OK (1013) | 65 |
| Memphis, TN (985) | 83 |
| Greenville - Spartanburg, SC (630) | 83 |
| Omaha, NE (598) | 68 |
| Baton Rouge, LA (589) | 79 |
| Youngstown - Warren, OH (515) | 77 |
| Canton, OH (416) | 82 |
| Peoria, IL (346) | 66 |
| Lubbock, TX (245) | 78 |
| Gainesville, FL (225) | 64 |
| Lincoln, NE (213) | 68 |
| Steubenville, OH (153) | 74 |
| Pittsfield, MA (149) | 67 |
| Bryan-College Station, TX (136) | 74 |
| Decatur, IL (129) | 66 |
| Lafayette, IN (126) | 74 |
| Sherman-Denison, TX (106) | 79 |
| Victoria, TX (88) | 82 |

EXHIBIT B (IV)

MSAs WITH 42-62 VACANT 800 MHz TRUNKED SMR FREQUENCIES

| <u>MSA and Population (000)</u> | <u>Number of Vacant Frequencies</u> |
|---|-------------------------------------|
| Pittsburgh, PA (2191) | 59 |
| Columbus, OH (1206) | 55 |
| Greensboro - Winston-Salem - High Point, NC (956) | 58 |
| Harrisburg, PA (471) | 53 |
| Melbourne, FL (457) | 56 |
| Madison, WI (345) | 59 |
| South Bend - Mishawaka, IN (294) | 56 |
| Poughkeepsie, NY (269) | 61 |
| Ocala, FL (196) | 44 |
| Chico, CA (188) | 59 |
| Champaign - Urbana - Rantoul, IL (185) | 59 |
| Elkhart-Goshen, IN (152) | 45 |
| Bloomington, IN (104) | 56 |

C

ATTACHMENT C

Listing of Vacant Frequencies for Each MSA

(Included Only in FCC Filing)

TABLE OF CONTENTS

| | <u>TAB</u> |
|--|------------|
| MSAs WITH 105 OR MORE VACANT FREQUENCIES | 1 |
| MSAs WITH 84 - 104 VACANT FREQUENCIES | 2 |
| MSAs WITH 63 - 83 VACANT FREQUENCIES | 3 |
| MSAs WITH 42 - 62 VACANT FREQUENCIES | 4 |

MOFFET, LARSON & JOHNSON, INC.

6203 LEESBURG PIKE

CONSULTING TELECOMMUNICATIONS ENGINEERS

FALLS CHURCH, VA 22041

ATTACHMENT C**METHODOLOGY USED IN ALLOCATION STUDY**

The following tables report on the results of SMR allocation studies for the top 305 cellular markets.¹ The allocation studies were run at the reference coordinates of the market taken from *The National Gazetteer of the United States of America - United States Concise 1990*, prepared by the U.S.G.S. and the U.S. Board on Geographic Names. Where a market is made up of more than one city; i.e., a hyphenated market, an allocation study was run at the reference point of each city making up the hyphenated market. Only the 280 SMR frequencies referenced in §90.617(d) of the FCC's Rules were examined. Markets in the Canadian or Mexican border areas were not studied.

A frequency was determined to be available when there were no co-channel stations within the separation distance specified in the separation table contained in §90.621(b)(4) of the FCC's Rules for a 100 watt, 61 meter HAAT facility. This separation distance was 89 kilometers for most of the United States. However, a separation distance of 145 kilometers was used when the protected facility was located on either (1) one of the southern California peaks listed in §90.621(b)(1) of the FCC's Rules, (2) one of the northern California peaks listed in Table 1 of § 90.621(b) of the FCC's Rules, or (3) one of the locations in the State of Washington listed in §90.621(b)(3) of the FCC's Rules.

The following tables list those markets in which 42 or more frequencies are available. Each table provides the market name, reference coordinates, number of available frequencies, and identifies the specific available frequencies.

When a hyphenated market had a different number of frequencies available at the each of its reference coordinates, the table provides data for the city with the fewest number of available frequencies. When the city reported on is not the lead name in the hyphenated market, the name of the city reported on is listed after the reference coordinates.

¹ The top 305 markets are listed in the Memorandum Opinion and Order on Reconsideration, CC Docket No. 79-318, released March 3, 1982, the Memorandum Opinion and Order on Further Reconsideration, CC Docket No. 79-318, released July 8, 1982, and the Public Notice of May 24, 1984 - Cellular Markets Beyond Ninety Largest.

MOFFET, LARSON & JOHNSON, INC.

5203 LEESBURG PIKE

CONSULTING TELECOMMUNICATIONS ENGINEERS

FALLS CHURCH, VA 22041

A F F I D A V I T


COUNTY OF FAIRFAX)
COMMONWEALTH OF VIRGINIA) SS:
)

MICHAEL B. DEGITZ, being duly sworn upon oath deposes and says:

That he is an employee of the firm of Moffet, Larson & Johnson, Inc., consulting telecommunications engineers;

That this firm has been retained by Fleet Call, Inc. to prepare this engineering statement;


That he has either prepared or directly supervised the preparation of all technical information contained in this engineering statement; and that the facts stated in this engineering statement are true of his knowledge, except as to such statements as are herein stated to be on information and belief, and as to such statements he believes them to be true.


Michael B. Degitz

Subscribed and sworn to before me this 17th day of April, 1992.


Linda B. Syrek
Notary Public

My Commission expires March 31, 1994.



MOFFET, LARSON & JOHNSON, INC.

5203 LEESBURG PIKE

CONSULTING TELECOMMUNICATIONS ENGINEERS

FALLS CHURCH, VA 22041

A F F I D A V I T

COUNTY OF FAIRFAX)
)
 >) SS:
 COMMONWEALTH OF VIRGINIA)

WALLACE E. JOHNSON, being duly sworn upon oath deposes and says:


That his qualifications are a matter of record with the Federal Communications Commission;

That he is a registered professional engineer in the Commonwealth of Virginia and the District of Columbia and is the President of the firm of Moffet, Larson & Johnson, Inc.;

That this firm has been retained by Fleet Call, Inc. to prepare this engineering statement;


That he has either prepared or directly supervised the preparation of all technical information contained in this engineering statement; and that the facts stated in this engineering statement are true of his knowledge, except as to such statements as are herein stated to be on information and belief, and as to such statements he believes them to be true.

Wallace E. Johnson
Wallace E. Johnson



Subscribed and sworn to before me this 17th day of April, 1992.

Linda B. Syrek
Notary Public



My Commission expires March 31, 1994.

CH/AN/L

RECEIVED

APR 22 1992

**Before the
FEDERAL COMMUNICATIONS COMMISSION
Washington, D.C. 20554**

Federal Communications Commission
Office of the Secretary

In the Matter of)
)
 Policies and Rules for) RM -
 Licensing Fallow 800 MHz)
 Specialized Mobile Radio)
 Spectrum Through a Competitive)
 Bidding Process)

To: The Commission

PETITION FOR RULEMAKING

FLEET CALL, INC.

Robert S. Foosaner
Lawrence. R. Krevor
1450 G Street, N.W.
Washington, D.C. 20036

Its Attorneys

April 22, 1992

ATTACHMENT C

LISTING OF VACANT FREQUENCIES FOR EACH MSA

TABLE OF CONTENTS

| | <u>TAB</u> |
|--|------------|
| MSAs WITH 105 OR MORE VACANT FREQUENCIES | 1 |
| MSAs WITH 84 - 104 VACANT FREQUENCIES | 2 |
| MSAs WITH 63 - 83 VACANT FREQUENCIES | 3 |
| MSAs WITH 42 - 62 VACANT FREQUENCIES | 4 |

MOFFET, LARSON & JOHNSON, INC.

5202 LEESBURG PIKE

CONSULTING TELECOMMUNICATIONS ENGINEERS

FALLE CHURCH, VA 22041

ATTACHMENT C

METHODOLOGY USED IN ALLOCATION STUDY

The following tables report on the results of SMR allocation studies for the top 305 cellular markets.¹ The allocation studies were run at the reference coordinates of the market taken from *The National Gazetteer of the United States of America - Unites States Concise 1990*, prepared by the U.S.G.S. and the U.S. Board on Geographic Names. Where a market is made up of more than one city; i.e., a hyphenated market, an allocation study was run at the reference point of each city making up the hyphenated market. Only the 280 SMR frequencies referenced in §90.617(d) of the FCC's Rules were examined. Markets in the Canadian or Mexican border areas were not studied.

A frequency was determined to be available when there were no co-channel stations within the separation distance specified in the separation table contained in §90.621(b)(4) of the FCC's Rules for a 100 watt, 61 meter HAAT facility. This separation distance was 89 kilometers for most of the United States. However, a separation distance of 145 kilometers was used when the protected facility was located on either (1) one of the southern California peaks listed in §90.621(b)(1) of the FCC's Rules, (2) one of the northern California peaks listed in Table 1 of § 90.621(b) of the FCC's Rules, or (3) one of the locations in the State of Washington listed in §90.621(b)(3) of the FCC's Rules.

The following tables list those markets in which 42 or more frequencies are available. Each table provides the market name, reference coordinates, number of available frequencies, and identifies the specific available frequencies.

When a hyphenated market had a different number of frequencies available at the each of its reference coordinates, the table provides data for the city with the fewest number of available frequencies. When the city reported on is not the lead name in the hyphenated market, the name of the city reported on is listed after the reference coordinates.

¹ The top 305 markets are listed in the Memorandum Opinion and Order on Reconsideration, CC Docket No. 79-318, released March 3, 1982, the Memorandum Opinion and Order on Further Reconsideration, CC Docket No. 79-318, released July 8, 1982, and the Public Notice of May 24, 1984 - Cellular Markets Beyond Ninety Largest.

MSAS WITH 105 OR MORE VACANT FREQUENCIES

MOFFET, LARSON & JOHNSON, INC.

5203 LEESBURG PIKE

CONSULTING TELECOMMUNICATIONS ENGINEERS

FALLS CHURCH, VA 22041

AVAILABLE 800 MHZ TRUNKED SMR FREQUENCIES

AT

NASHVILLE, TN

CORE AREA REFERENCE COORDINATES: E 36° 9' 57" W 86° 47' 4"

TOTAL FREQUENCIES AVAILABLE: 120

FREQUENCIES:

| | | | | | |
|----------|----------|----------|----------|----------|----------|
| 856.0625 | 856.1625 | 856.5125 | 856.5375 | 856.5625 | 856.5875 |
| 856.6375 | 856.6625 | 857.0625 | 857.1625 | 857.5125 | 857.5375 |
| 857.5625 | 857.5875 | 857.6375 | 857.6625 | 858.0625 | 858.1625 |
| 858.5125 | 858.5375 | 858.5625 | 858.5875 | 858.6375 | 858.6625 |
| 859.0625 | 859.1625 | 859.5125 | 859.5375 | 859.5625 | 859.5875 |
| 859.6375 | 859.6625 | 860.0625 | 860.1625 | 860.5125 | 860.5375 |
| 860.5625 | 860.5875 | 860.6375 | 860.6625 | 861.0125 | 861.0375 |
| 861.2625 | 861.2875 | 861.3125 | 861.4125 | 861.4625 | 861.5125 |
| 861.5375 | 861.5625 | 861.6375 | 861.7625 | 861.8125 | 861.8375 |
| 861.8625 | 861.9125 | 862.0125 | 862.0375 | 862.2625 | 862.2875 |
| 862.3125 | 862.4125 | 862.4625 | 862.5125 | 862.5375 | 862.5625 |
| 862.6375 | 862.7625 | 862.8125 | 862.8375 | 862.8625 | 862.9125 |
| 863.0125 | 863.0375 | 863.2625 | 863.2875 | 863.3125 | 863.4125 |
| 863.4625 | 863.5125 | 863.5375 | 863.5625 | 863.6375 | 863.7625 |
| 863.8125 | 863.8375 | 863.8625 | 863.9125 | 864.0125 | 864.0375 |
| 864.2625 | 864.2875 | 864.3125 | 864.4125 | 864.4625 | 864.5125 |
| 864.5375 | 864.5625 | 864.6375 | 864.7625 | 864.8125 | 864.8375 |
| 864.8625 | 864.9125 | 865.0125 | 865.0375 | 865.2625 | 865.2875 |
| 865.3125 | 865.4125 | 865.4625 | 865.5125 | 865.5375 | 865.5625 |
| 865.6375 | 865.7625 | 865.8125 | 865.8375 | 865.8625 | 865.9125 |

MOFFET, LARSON & JOHNSON, INC.

5203 LEESBURG PIKE

CONSULTING TELECOMMUNICATIONS ENGINEERS

FALLS CHURCH, VA 22041

AVAILABLE 800 MHZ TRUNKED SMR FREQUENCIES

AT

BIRMINGHAM, AL

CORE AREA REFERENCE COORDINATES: E 33° 31' 14" W 86° 48' 9"

TOTAL FREQUENCIES AVAILABLE: 189

FREQUENCIES:

| | | | | | |
|----------|----------|----------|----------|----------|----------|
| 856.1375 | 856.1625 | 856.1875 | 856.5125 | 856.5375 | 856.5625 |
| 856.5875 | 856.6125 | 856.6375 | 856.6625 | 856.6875 | 857.1375 |
| 857.1625 | 857.1875 | 857.5125 | 857.5375 | 857.5625 | 857.5875 |
| 857.6125 | 857.6375 | 857.6625 | 857.6875 | 858.1375 | 858.1625 |
| 858.1875 | 858.5125 | 858.5375 | 858.5625 | 858.5875 | 858.6125 |
| 858.6375 | 858.6625 | 858.6875 | 859.1375 | 859.1625 | 859.5125 |
| 859.5375 | 859.5625 | 859.5875 | 859.6125 | 859.6375 | 859.6625 |
| 859.6875 | 860.0125 | 860.1375 | 860.1625 | 860.5125 | 860.5375 |
| 860.5625 | 860.5875 | 860.6125 | 860.6375 | 860.6625 | 860.6875 |
| 861.0125 | 861.0375 | 861.0625 | 861.0875 | 861.1125 | 861.1375 |
| 861.2125 | 861.2625 | 861.2875 | 861.3125 | 861.3375 | 861.3625 |
| 861.4375 | 861.5125 | 861.5375 | 861.5625 | 861.5875 | 861.6125 |
| 861.6375 | 861.6625 | 861.6875 | 861.7625 | 861.7875 | 861.8125 |
| 861.8375 | 861.9125 | 861.9375 | 862.0125 | 862.0375 | 862.0625 |
| 862.0875 | 862.1125 | 862.1375 | 862.2125 | 862.2625 | 862.2875 |
| 862.3125 | 862.3375 | 862.3625 | 862.4375 | 862.5125 | 862.5375 |
| 862.5625 | 862.5875 | 862.6125 | 862.6375 | 862.6625 | 862.6875 |
| 862.7625 | 862.7875 | 862.8125 | 862.8375 | 862.9125 | 862.9375 |
| 863.0125 | 863.0375 | 863.0625 | 863.0875 | 863.1125 | 863.1375 |
| 863.2125 | 863.2625 | 863.2875 | 863.3125 | 863.3375 | 863.3625 |
| 863.4375 | 863.5125 | 863.5375 | 863.5625 | 863.5875 | 863.6125 |
| 863.6375 | 863.6625 | 863.6875 | 863.7625 | 863.7875 | 863.8125 |
| 863.8375 | 863.9125 | 863.9375 | 864.0125 | 864.0375 | 864.0625 |
| 864.0875 | 864.1125 | 864.1375 | 864.2125 | 864.2625 | 864.2875 |
| 864.3125 | 864.3375 | 864.3625 | 864.4375 | 864.5125 | 864.5375 |
| 864.5625 | 864.5875 | 864.6125 | 864.6375 | 864.6625 | 864.6875 |
| 864.7625 | 864.7875 | 864.8125 | 864.8375 | 864.9125 | 864.9375 |
| 865.0125 | 865.0375 | 865.0625 | 865.0875 | 865.1125 | 865.1375 |
| 865.2125 | 865.2625 | 865.2875 | 865.3125 | 865.3375 | 865.3625 |
| 865.4375 | 865.5125 | 865.5375 | 865.5625 | 865.5875 | 865.6125 |
| 865.6375 | 865.6625 | 865.6875 | 865.7625 | 865.7875 | 865.8125 |
| 865.8375 | 865.9125 | 865.9375 | | | |

MOFFET, LARSON & JOHNSON, INC.

5203 LEESBURG PIKE

CONSULTING TELECOMMUNICATIONS ENGINEERS

FALLS CHURCH, VA 22041

AVAILABLE 800 MHZ TRUNKED SMR FREQUENCIES

AT

HONOLULU, HI

CORE AREA REFERENCE COORDINATES: E 21° 18' 25" W 157° 51' 30"

TOTAL FREQUENCIES AVAILABLE: 145

FREQUENCIES:

| | | | | | |
|----------|----------|----------|----------|----------|----------|
| 856.0125 | 856.0875 | 856.1625 | 856.1875 | 856.5125 | 856.5625 |
| 856.5875 | 856.6125 | 856.6375 | 856.6625 | 856.6875 | 857.0125 |
| 857.0875 | 857.1625 | 857.1875 | 857.5125 | 857.5625 | 857.5875 |
| 857.6125 | 857.6375 | 857.6625 | 857.6875 | 858.0125 | 858.0875 |
| 858.1625 | 858.1875 | 858.5125 | 858.5625 | 858.5875 | 858.6125 |
| 858.6375 | 858.6625 | 858.6875 | 859.0125 | 859.0875 | 859.1625 |
| 859.1875 | 859.5125 | 859.5625 | 859.5875 | 859.6125 | 859.6375 |
| 859.6625 | 859.6875 | 860.0125 | 860.0875 | 860.1625 | 860.1875 |
| 860.5125 | 860.5625 | 860.5875 | 860.6125 | 860.6375 | 860.6625 |
| 860.6875 | 861.0125 | 861.1125 | 861.1375 | 861.1875 | 861.2625 |
| 861.2875 | 861.3125 | 861.3375 | 861.3875 | 861.4375 | 861.5125 |
| 861.5375 | 861.5625 | 861.6125 | 861.6375 | 861.7625 | 861.7875 |
| 861.8875 | 862.0125 | 862.1125 | 862.1375 | 862.1875 | 862.2625 |
| 862.2875 | 862.3125 | 862.3375 | 862.3875 | 862.4375 | 862.5125 |
| 862.5375 | 862.5625 | 862.6125 | 862.6375 | 862.7625 | 862.7875 |
| 862.8875 | 863.0125 | 863.1125 | 863.1375 | 863.1875 | 863.2625 |
| 863.2875 | 863.3125 | 863.3375 | 863.3875 | 863.4375 | 863.5125 |
| 863.5375 | 863.5625 | 863.6125 | 863.6375 | 863.7625 | 863.7875 |
| 863.8875 | 864.0125 | 864.1125 | 864.1375 | 864.1875 | 864.2625 |
| 864.2875 | 864.3125 | 864.3375 | 864.3875 | 864.4375 | 864.5125 |
| 864.5375 | 864.5625 | 864.6125 | 864.6375 | 864.7625 | 864.7875 |
| 864.8875 | 865.0125 | 865.1125 | 865.1375 | 865.1875 | 865.2625 |
| 865.2875 | 865.3125 | 865.3375 | 865.3875 | 865.4375 | 865.5125 |
| 865.5375 | 865.5625 | 865.6125 | 865.6375 | 865.7625 | 865.7875 |
| 865.8875 | | | | | |

MOFFET, LARSON & JOHNSON, INC.

5203 LEESBURG PIKE

CONSULTING TELECOMMUNICATIONS ENGINEERS

FALLS CHURCH, VA 22041

AVAILABLE 800 MHZ TRUNKED SMR FREQUENCIES**AT****ALBANY, NY****CORE AREA REFERENCE COORDINATES: E 42° 39' 9" W 73° 45' 24"****TOTAL FREQUENCIES AVAILABLE: 136****FREQUENCIES:**

| | | | | | |
|----------|----------|----------|----------|----------|----------|
| 856.0125 | 856.0625 | 856.1375 | 856.5125 | 856.5375 | 856.5875 |
| 856.6125 | 856.6375 | 856.6625 | 857.0125 | 857.0625 | 857.1375 |
| 857.5125 | 857.5375 | 857.5875 | 857.6125 | 857.6375 | 857.6625 |
| 858.0125 | 858.0625 | 858.1375 | 858.5125 | 858.5375 | 858.5875 |
| 858.6125 | 858.6375 | 858.6625 | 859.0125 | 859.0625 | 859.1375 |
| 859.5125 | 859.5375 | 859.5875 | 859.6125 | 859.6375 | 859.6625 |
| 860.0125 | 860.0625 | 860.1375 | 860.5125 | 860.5375 | 860.5875 |
| 860.6125 | 860.6375 | 860.6625 | 861.0125 | 861.1125 | 861.1375 |
| 861.1625 | 861.2625 | 861.2875 | 861.3125 | 861.3625 | 861.5125 |
| 861.5375 | 861.5875 | 861.6125 | 861.6875 | 861.7625 | 861.7875 |
| 861.8125 | 861.9375 | 862.0125 | 862.1125 | 862.1375 | 862.1625 |
| 862.2625 | 862.2875 | 862.3125 | 862.3625 | 862.5125 | 862.5375 |
| 862.5875 | 862.6125 | 862.6875 | 862.7625 | 862.7875 | 862.8125 |
| 862.9375 | 863.0125 | 863.1125 | 863.1375 | 863.1625 | 863.2625 |
| 863.2875 | 863.3125 | 863.3625 | 863.5125 | 863.5375 | 863.5875 |
| 863.6125 | 863.6875 | 863.7625 | 863.7875 | 863.8125 | 863.9375 |
| 864.0125 | 864.1125 | 864.1375 | 864.1625 | 864.2125 | 864.2625 |
| 864.2875 | 864.3125 | 864.3375 | 864.3625 | 864.4375 | 864.5125 |
| 864.5375 | 864.5875 | 864.6125 | 864.6875 | 864.7625 | 864.7875 |
| 864.8125 | 864.9375 | 865.0125 | 865.1125 | 865.1375 | 865.1625 |
| 865.2125 | 865.2625 | 865.2875 | 865.3125 | 865.3375 | 865.3625 |
| 865.4375 | 865.5125 | 865.5375 | 865.5875 | 865.6125 | 865.6875 |
| 865.7625 | 865.7875 | 865.8125 | 865.9375 | | |

MOFFET, LARSON & JOHNSON, INC.

5203 LEESBURG PIKE

CONSULTING TELECOMMUNICATIONS ENGINEERS

FALLS CHURCH, VA 22041

AVAILABLE 800 MHZ TRUNKED SMR FREQUENCIES

AT

TULSA, OK

CORE AREA REFERENCE COORDINATES: E 36° 9' 14" W 95° 59' 33"

TOTAL FREQUENCIES AVAILABLE: 160

FREQUENCIES:

| | | | | | |
|----------|----------|----------|----------|----------|----------|
| 856.0375 | 856.0625 | 856.1125 | 856.1375 | 856.1625 | 856.1875 |
| 856.5125 | 856.5375 | 856.5625 | 856.5875 | 856.6125 | 856.6375 |
| 856.6625 | 856.6875 | 857.0375 | 857.0625 | 857.1125 | 857.1375 |
| 857.1625 | 857.1875 | 857.5125 | 857.5375 | 857.5625 | 857.5875 |
| 857.6125 | 857.6375 | 857.6625 | 857.6875 | 858.0375 | 858.0625 |
| 858.1125 | 858.1375 | 858.1625 | 858.1875 | 858.5125 | 858.5375 |
| 858.5625 | 858.5875 | 858.6125 | 858.6375 | 858.6625 | 858.6875 |
| 859.0375 | 859.0625 | 859.1125 | 859.1375 | 859.1625 | 859.1875 |
| 859.5125 | 859.5375 | 859.5625 | 859.5875 | 859.6125 | 859.6375 |
| 859.6625 | 859.6875 | 860.0375 | 860.0625 | 860.1125 | 860.1375 |
| 860.1625 | 860.1875 | 860.5125 | 860.5375 | 860.5625 | 860.5875 |
| 860.6125 | 860.6375 | 860.6625 | 860.6875 | 861.0375 | 861.0625 |
| 861.1125 | 861.1625 | 861.1875 | 861.2625 | 861.2875 | 861.3125 |
| 861.3375 | 861.4125 | 861.5375 | 861.5875 | 861.6125 | 861.7625 |
| 861.8125 | 861.8625 | 861.8875 | 861.9125 | 862.0375 | 862.0625 |
| 862.1125 | 862.1625 | 862.1875 | 862.2625 | 862.2875 | 862.3125 |
| 862.3375 | 862.4125 | 862.5375 | 862.5875 | 862.6125 | 862.7625 |
| 862.8125 | 862.8625 | 862.8875 | 862.9125 | 863.0375 | 863.0625 |
| 863.1125 | 863.1625 | 863.1875 | 863.2625 | 863.2875 | 863.3125 |
| 863.3375 | 863.4125 | 863.5375 | 863.5875 | 863.6125 | 863.7625 |
| 863.8125 | 863.8625 | 863.8875 | 863.9125 | 864.0375 | 864.0625 |
| 864.1125 | 864.1625 | 864.1875 | 864.2625 | 864.2875 | 864.3125 |
| 864.3375 | 864.4125 | 864.5375 | 864.5875 | 864.6125 | 864.7625 |
| 864.8125 | 864.8625 | 864.8875 | 864.9125 | 865.0375 | 865.0625 |
| 865.1125 | 865.1625 | 865.1875 | 865.2625 | 865.2875 | 865.3125 |
| 865.3375 | 865.4125 | 865.5375 | 865.5875 | 865.6125 | 865.7625 |
| 865.8125 | 865.8625 | 865.8875 | 865.9125 | | |

MOFFET, LARSON & JOHNSON, INC.

5203 LEESBURG PIKE

CONSULTING TELECOMMUNICATIONS ENGINEERS

FALLS CHURCH, VA 22041

AVAILABLE 800 MHZ TRUNKED SMR FREQUENCIES**AT****SYRACUSE, NY****CORE AREA REFERENCE COORDINATES: E 43° 2' 53" W 76° 8' 52"****TOTAL FREQUENCIES AVAILABLE: 191****FREQUENCIES:**

| | | | | | |
|----------|----------|----------|----------|----------|----------|
| 856.0125 | 856.0875 | 856.1125 | 856.1375 | 856.1875 | 856.5125 |
| 856.5375 | 856.5625 | 856.5875 | 856.6125 | 856.6375 | 856.6625 |
| 856.6875 | 857.0125 | 857.0875 | 857.1125 | 857.1375 | 857.1875 |
| 857.5125 | 857.5375 | 857.5625 | 857.5875 | 857.6125 | 857.6375 |
| 857.6625 | 857.6875 | 858.0125 | 858.0875 | 858.1125 | 858.1375 |
| 858.1875 | 858.5125 | 858.5375 | 858.5625 | 858.5875 | 858.6125 |
| 858.6375 | 858.6625 | 858.6875 | 859.0125 | 859.0875 | 859.1125 |
| 859.1375 | 859.1875 | 859.5125 | 859.5375 | 859.5625 | 859.5875 |
| 859.6125 | 859.6375 | 859.6625 | 859.6875 | 860.0125 | 860.0875 |
| 860.1125 | 860.1375 | 860.1875 | 860.5125 | 860.5375 | 860.5625 |
| 860.5875 | 860.6125 | 860.6375 | 860.6625 | 860.6875 | 861.0125 |
| 861.0375 | 861.0625 | 861.0875 | 861.1125 | 861.1375 | 861.1625 |
| 861.1875 | 861.2125 | 861.2625 | 861.2875 | 861.3375 | 861.3625 |
| 861.3875 | 861.4125 | 861.4375 | 861.4625 | 861.5125 | 861.5375 |
| 861.5625 | 861.5875 | 861.6125 | 861.6375 | 861.6875 | 861.7375 |
| 861.7625 | 861.7875 | 861.8125 | 861.8375 | 861.8625 | 861.8875 |
| 861.9125 | 861.9375 | 861.9625 | 861.9875 | 862.0125 | 862.0375 |
| 862.0625 | 862.0875 | 862.1125 | 862.1375 | 862.1625 | 862.1875 |
| 862.2125 | 862.2625 | 862.2875 | 862.3125 | 862.3375 | 862.3625 |
| 862.4125 | 862.4375 | 862.4625 | 862.5125 | 862.5375 | 862.5625 |
| 862.5875 | 862.6125 | 862.6375 | 862.6875 | 862.7375 | 862.7625 |
| 862.7875 | 862.8125 | 862.8375 | 862.8625 | 862.8875 | 862.9125 |
| 862.9375 | 862.9625 | 862.9875 | 863.0125 | 863.0375 | 863.0625 |
| 863.0875 | 863.1125 | 863.1375 | 863.1625 | 863.1875 | 863.2125 |
| 863.2625 | 863.2875 | 863.3125 | 863.3375 | 863.3625 | 863.4125 |
| 863.4375 | 863.4625 | 863.5125 | 863.5375 | 863.5625 | 863.5875 |
| 863.6125 | 863.6375 | 863.6875 | 863.7375 | 863.7625 | 863.7875 |
| 863.8125 | 863.8375 | 863.8875 | 863.9125 | 864.1375 | 864.2625 |
| 864.2875 | 864.3125 | 864.3375 | 864.3625 | 864.5875 | 864.7375 |
| 864.7625 | 864.7875 | 864.8125 | 864.9875 | 865.0375 | 865.1125 |
| 865.1375 | 865.1625 | 865.1875 | 865.2125 | 865.5625 | 865.5875 |
| 865.6125 | 865.6375 | 865.6875 | 865.9375 | 865.9625 | |

MOFFET, LARSON & JOHNSON, INC.

5203 LEESBURG PIKE

CONSULTING TELECOMMUNICATIONS ENGINEERS

FALLS CHURCH, VA 22041

AVAILABLE 800 MHZ TRUNKED SMR FREQUENCIES**AT****GRAND RAPIDS, MI****CORE AREA REFERENCE COORDINATES: E 42° 57' 48" W 85° 40' 5"****TOTAL FREQUENCIES AVAILABLE: 209****FREQUENCIES:**

| | | | | | |
|----------|----------|----------|----------|----------|----------|
| 856.1375 | 856.1625 | 856.5375 | 856.5625 | 856.5875 | 856.6125 |
| 856.6375 | 856.6625 | 856.6875 | 857.1375 | 857.1625 | 857.5375 |
| 857.5625 | 857.5875 | 857.6125 | 857.6375 | 857.6625 | 857.6875 |
| 858.1375 | 858.1625 | 858.5375 | 858.5625 | 858.5875 | 858.6125 |
| 858.6375 | 858.6625 | 858.6875 | 859.0375 | 859.0625 | 859.1375 |
| 859.1625 | 859.5375 | 859.5625 | 859.5875 | 859.6125 | 859.6375 |
| 859.6625 | 859.6875 | 860.0375 | 860.0625 | 860.1375 | 860.1625 |
| 860.5375 | 860.5625 | 860.5875 | 860.6125 | 860.6375 | 860.6625 |
| 860.6875 | 861.0375 | 861.0625 | 861.0875 | 861.1125 | 861.1375 |
| 861.2125 | 861.2625 | 861.2875 | 861.3125 | 861.3375 | 861.3625 |
| 861.3875 | 861.4125 | 861.4375 | 861.4625 | 861.5125 | 861.5375 |
| 861.5625 | 861.5875 | 861.6125 | 861.6375 | 861.6625 | 861.6875 |
| 861.7125 | 861.7375 | 861.7625 | 861.7875 | 861.8125 | 861.8375 |
| 861.8625 | 861.8875 | 861.9125 | 861.9375 | 862.0125 | 862.0375 |
| 862.0625 | 862.0875 | 862.1125 | 862.2125 | 862.2625 | 862.2875 |
| 862.3125 | 862.3375 | 862.3625 | 862.3875 | 862.4125 | 862.4375 |
| 862.4625 | 862.5125 | 862.5375 | 862.5625 | 862.5875 | 862.6125 |
| 862.6375 | 862.6625 | 862.6875 | 862.7125 | 862.7375 | 862.7625 |
| 862.7875 | 862.8125 | 862.8375 | 862.8625 | 862.8875 | 862.9375 |
| 863.0125 | 863.0625 | 863.0875 | 863.1125 | 863.1375 | 863.2125 |
| 863.2625 | 863.2875 | 863.3125 | 863.3375 | 863.3625 | 863.3875 |
| 863.4125 | 863.4375 | 863.4625 | 863.5125 | 863.5375 | 863.5625 |
| 863.5875 | 863.6125 | 863.6375 | 863.6625 | 863.6875 | 863.7125 |
| 863.7375 | 863.7625 | 863.7875 | 863.8375 | 863.8625 | 863.8875 |
| 863.9125 | 864.0125 | 864.0375 | 864.0625 | 864.0875 | 864.1125 |
| 864.1375 | 864.2125 | 864.2625 | 864.2875 | 864.3125 | 864.3375 |
| 864.3625 | 864.3875 | 864.4125 | 864.4375 | 864.4625 | 864.5125 |
| 864.5375 | 864.5625 | 864.5875 | 864.6125 | 864.6375 | 864.6625 |
| 864.6875 | 864.7375 | 864.7625 | 864.7875 | 864.8125 | 864.8625 |
| 864.8875 | 864.9125 | 864.9375 | 865.0125 | 865.0375 | 865.0625 |
| 865.0875 | 865.1125 | 865.1375 | 865.2125 | 865.2625 | 865.2875 |
| 865.3125 | 865.3375 | 865.3625 | 865.3875 | 865.4125 | 865.4375 |
| 865.4625 | 865.5125 | 865.5375 | 865.5625 | 865.5875 | 865.6375 |
| 865.6625 | 865.6875 | 865.7125 | 865.7625 | 865.7875 | 865.8125 |
| 865.8375 | 865.8625 | 865.8875 | 865.9125 | 865.9375 | |

MOFFET, LARSON & JOHNSON, INC.

5203 LEESBURG PIKE

CONSULTING TELECOMMUNICATIONS ENGINEERS

FALLS CHURCH, VA 22041

AVAILABLE 800 MHZ TRUNKED SMR FREQUENCIES

AT

ALBUQUERQUE, NM

CORE AREA REFERENCE COORDINATES: E 35° 5' 0" W 106° 39' 0"

TOTAL FREQUENCIES AVAILABLE: 115

FREQUENCIES:

| | | | | | |
|----------|----------|----------|----------|----------|----------|
| 856.0625 | 856.1625 | 856.5875 | 856.6125 | 856.6375 | 856.6625 |
| 857.0625 | 857.1625 | 857.5875 | 857.6125 | 857.6375 | 857.6625 |
| 858.0625 | 858.1625 | 858.5875 | 858.6125 | 858.6375 | 858.6625 |
| 859.0625 | 859.1625 | 859.5875 | 859.6125 | 859.6375 | 859.6625 |
| 860.0625 | 860.1625 | 860.5875 | 860.6125 | 860.6375 | 860.6625 |
| 861.0375 | 861.0625 | 861.0875 | 861.1125 | 861.2625 | 861.2875 |
| 861.3125 | 861.3375 | 861.5125 | 861.5375 | 861.5625 | 861.5875 |
| 861.6125 | 861.7625 | 861.7875 | 861.8125 | 861.8375 | 862.0375 |
| 862.0625 | 862.0875 | 862.1125 | 862.2625 | 862.2875 | 862.3125 |
| 862.3375 | 862.5125 | 862.5375 | 862.5625 | 862.5875 | 862.6125 |
| 862.7625 | 862.7875 | 862.8125 | 862.8375 | 863.0375 | 863.0625 |
| 863.0875 | 863.1125 | 863.2625 | 863.2875 | 863.3125 | 863.3375 |
| 863.5125 | 863.5375 | 863.5625 | 863.5875 | 863.6125 | 863.7625 |
| 863.7875 | 863.8125 | 863.8375 | 864.0375 | 864.0625 | 864.0875 |
| 864.1125 | 864.2625 | 864.2875 | 864.3125 | 864.3375 | 864.5125 |
| 864.5375 | 864.5625 | 864.5875 | 864.6125 | 864.7625 | 864.7875 |
| 864.8125 | 864.8375 | 865.0375 | 865.0625 | 865.0875 | 865.1125 |
| 865.2625 | 865.2875 | 865.3125 | 865.3375 | 865.5125 | 865.5375 |
| 865.5625 | 865.5875 | 865.6125 | 865.7625 | 865.7875 | 865.8125 |
| 865.8375 | | | | | |

MOFFET, LARSON & JOHNSON, INC.

5203 LEESBURG PIKE

CONSULTING TELECOMMUNICATIONS ENGINEERS

FALLS CHURCH, VA 22041

AVAILABLE 800 MHZ TRUNKED SMR FREQUENCIES

AT

LITTLE ROCK, AR

CORE AREA REFERENCE COORDINATES: E 34° 44' 47" W 92° 17' 22"

TOTAL FREQUENCIES AVAILABLE: 180

FREQUENCIES:

| | | | | | |
|----------|----------|----------|----------|----------|----------|
| 856.1875 | 856.5125 | 856.5625 | 856.6125 | 856.6375 | 856.6625 |
| 856.6875 | 857.1875 | 857.5125 | 857.5625 | 857.6125 | 857.6375 |
| 857.6625 | 857.6875 | 858.1875 | 858.5125 | 858.5625 | 858.6125 |
| 858.6375 | 858.6625 | 858.6875 | 859.1875 | 859.5125 | 859.5625 |
| 859.6125 | 859.6375 | 859.6625 | 859.6875 | 860.1875 | 860.5125 |
| 860.5625 | 860.6125 | 860.6375 | 860.6625 | 860.6875 | 861.0125 |
| 861.0375 | 861.0625 | 861.0875 | 861.1375 | 861.1625 | 861.2125 |
| 861.2375 | 861.2625 | 861.2875 | 861.3125 | 861.3375 | 861.3625 |
| 861.3875 | 861.4375 | 861.5125 | 861.5375 | 861.5875 | 861.6125 |
| 861.6375 | 861.6875 | 861.7625 | 861.7875 | 861.8125 | 861.8375 |
| 861.8625 | 861.8875 | 861.9125 | 861.9375 | 862.0125 | 862.0375 |
| 862.0625 | 862.0875 | 862.1375 | 862.1625 | 862.2125 | 862.2375 |
| 862.2625 | 862.2875 | 862.3125 | 862.3375 | 862.3625 | 862.3875 |
| 862.4375 | 862.5125 | 862.5375 | 862.5875 | 862.6125 | 862.6375 |
| 862.6875 | 862.7625 | 862.7875 | 862.8125 | 862.8375 | 862.8625 |
| 862.8875 | 862.9125 | 862.9375 | 863.0125 | 863.0375 | 863.0625 |
| 863.0875 | 863.1375 | 863.1625 | 863.2125 | 863.2375 | 863.2625 |
| 863.2875 | 863.3125 | 863.3375 | 863.3625 | 863.3875 | 863.4375 |
| 863.5125 | 863.5375 | 863.5875 | 863.6125 | 863.6375 | 863.6875 |
| 863.7625 | 863.7875 | 863.8125 | 863.8375 | 863.8625 | 863.8875 |
| 863.9125 | 863.9375 | 864.0125 | 864.0375 | 864.0625 | 864.0875 |
| 864.1375 | 864.1625 | 864.2125 | 864.2375 | 864.2625 | 864.2875 |
| 864.3125 | 864.3375 | 864.3625 | 864.3875 | 864.4375 | 864.5125 |
| 864.5375 | 864.5875 | 864.6125 | 864.6375 | 864.6875 | 864.7625 |
| 864.7875 | 864.8125 | 864.8375 | 864.8625 | 864.8875 | 864.9125 |
| 864.9375 | 865.0125 | 865.0375 | 865.0625 | 865.0875 | 865.1375 |
| 865.1625 | 865.2125 | 865.2375 | 865.2625 | 865.2875 | 865.3125 |
| 865.3375 | 865.3625 | 865.3875 | 865.4375 | 865.5125 | 865.5375 |
| 865.5875 | 865.6125 | 865.6375 | 865.6875 | 865.7625 | 865.7875 |
| 865.8125 | 865.8375 | 865.8625 | 865.8875 | 865.9125 | 865.9375 |